

DIMORE

MASIERO

DIMORE
23 USA



MASIERO

DIMORE

MASIERO

Collections




Cordea

34



Ebe

66



Eva

200




Honicé

142



Horo

106



Iglù

92




Libe

260



Nappe

156




Olà

178




Palm

272




Papilio

234




Posy

76



Sound

214



Tee

48




Timeo

250



Vegas

122



Visio


16

Suspension




Cordea

34



Eva

200




Honicé

142



Horo

106



Iglù

92




Libe

260




Nappe

156




Olà

178




Papilio

234




Posy

76



Sound

214



Tee

48




Timeo

250



Vegas

122



Visio

16

Applique



Ebe
66




Eva
200



Honicé
142



Horo
106



Iglù
92



Libe
260



Nappe
156



Olà
178



Palm
272



Papilio
234



Posy
76



Sound
214



Tee
48



Timeo
250



Vegas
122




Visio
16


Ceiling




Iglù
92



Olà
178




Sound
214



Tee
48


Table



Ebe
66



Eva
200



Honicé
142




Horo
106




Iglù
92




Libe
260



Olà
178



Papilio
234



Posy
76



Sound
214



Tee
48



Timeo
250



Vegas
122



Visio
16

Floor



Ebe
66



Eva
200



Honicé
142



Horo
106



Iglù
92



Olà
178



Papilio
234



Posy
76



Sound
214



Tee
48



Timeo
250



Vegas
122



Visio
16

Collections



Visio

An echo of allusions to the Surrealist world, layers of meaning to be discovered one by one in the many different possible configurations of Visio's facial geometries, an homage to the iconographic apparatus and expressiveness of the face. An aesthetic vocabulary, one of Visio, where the union of mysticism and geometry creates unpredictable variations on the theme of imagination.

DESIGN BY
NAVA + AROSIO

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP

VISIO S
COMPOSITION













VISIO TL M1



VISIO S M2
COMPOSITION



Visio

Painted metal structure. Opal white
Murano triplex glass diffuser.
LED lighting.




v87 Foundant Chocolate




Triplex Murano glass


VISIO S FULL		CE	UL
L	182 cm / 71.70"		
SP	12 cm / 4.70"		
H	99 cm / 39.00"		
INTEGRATED LED LIGHTING			
32,6 W CRI>90			
3000 K – 3673 NOMINAL LM			




VISIO S 1/2		CE	UL
L	117 cm / 46.10"		
SP	12 cm / 4.70"		
H	99 cm / 39.00"		
INTEGRATED LED LIGHTING			
21,6 W CRI>90			
3000 K – 2383 NOMINAL LM			




VISIO S M1		CE	UL
L	48 cm / 18.90"		
SP	12 cm / 4.70"		
H	27 cm / 10.60"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO A M2 SX		CE	UL
L	22 cm / 8.70"		
H	64 cm / 25.20"		
SP	16 cm / 6.30"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO A M2 DX		CE	UL
L	22 cm / 8.70"		
H	64 cm / 25.20"		
SP	16 cm / 6.30"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO A M3		CE	UL
L	43.3 cm / 17.00"		
H	43 cm / 16.90"		
SP	12 cm / 4.70"		
INTEGRATED LED LIGHTING			
4,6 W CRI>90			
3000 K – 478 NOMINAL LM			




VISIO A M4		CE	UL
L	56 cm / 22.00"		
H	30 cm / 11.80"		
SP	12 cm / 4.70"		
INTEGRATED LED LIGHTING			
6 W CRI>90			
3000 K – 615 NOMINAL LM			




VISIO S M2		CE	UL
L	28 cm / 11.00"		
SP	10 cm / 3.90"		
H	61 cm / 24.00"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO S M4		CE	UL
L	52 cm / 20.50"		
SP	5 cm / 2.00"		
H	18 cm / 7.10"		
INTEGRATED LED LIGHTING			
6 W CRI>90			
3000 K – 615 NOMINAL LM			




VISIO A FULL		CE	UL
L	182 cm / 71.70"		
SP	17 cm / 6.70"		
H	99 cm / 39.00"		
INTEGRATED LED LIGHTING			
32,6 W CRI>90			
3000 K – 3673 NOMINAL LM			




VISIO TL M1		CE	UL
L	48 cm / 18.90"		
H	70 cm / 27.60"		
SP	25.5 cm / 10.00"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO TL M4		CE	UL
L	52 cm / 20.50"		
H	60 cm / 23.60"		
SP	25.5 cm / 10.00"		
INTEGRATED LED LIGHTING			
5,3 W CRI>90			
3000 K – 546 NOMINAL LM			




VISIO STL M1		CE	UL
L	48 cm / 18.90"		
H	166.5 cm / 65.60"		
SP	32 cm / 12.60"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO STL M2		CE	UL
ø	32 cm / 12.60"		
H	166 cm / 65.40"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			




VISIO A SX		CE	UL
L	120 cm / 47.20"		
SP	17 cm / 6.70"		
H	99 cm / 39.00"		
INTEGRATED LED LIGHTING			
21,6 W CRI>90			
3000 K – 2383 NOMINAL LM			




VISIO A DX		CE	UL
L	120 cm / 47.20"		
SP	17 cm / 6.70"		
H	99 cm / 39.00"		
INTEGRATED LED LIGHTING			
21,6 W CRI>90			
3000 K – 2383 NOMINAL LM			




VISIO A M1		CE	UL
L	48 cm / 18.90"		
SP	17 cm / 6.70"		
H	27 cm / 10.60"		
INTEGRATED LED LIGHTING			
5,5 W CRI>90			
3000 K – 645 NOMINAL LM			



VISIO STL M3		CE	UL
ø	32 cm / 12.60"		
H	155 cm / 61.00"		
INTEGRATED LED LIGHTING			
4 W CRI>90			
3000 K – 410 NOMINAL LM			



VISIO STL M4		CE	UL
L	52 cm / 20.50"		
H	129 cm / 50.80"		
SP	32 cm / 12.60"		
INTEGRATED LED LIGHTING			
5,3 W CRI>90			
3000 K – 546,6 NOMINAL LM			




VISIO C3 M1 RD 60 

∅ 60 cm / 23.60"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING

16,5 W CRI>90
3000 K – 1935 NOMINAL LM

DIMM 0-10V




VISIO C3 M2 RD 40 


∅ 40 cm / 15.70"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING

16,5 W CRI>90
3000 K – 1935 NOMINAL LM

DIMM 0-10V




VISIO C5 RD 80 

∅ 80 cm / 31.50"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING

27,5 W CRI>90
3000 K – 3225 NOMINAL LM

DIMM 0-10V



Cordea

Cordea was born out of the desire to reinterpret the classic industrial lamp with an aluminium lamellar head in a contemporary way, from an aesthetic and material perspective. The expertly forged metal frame features a contrasting leather strap.

CORDEA S
COMPOSITION

DESIGN BY
FAVARETTO/PARTNERS

SUSPENSION














Cordea

Galvanised metal structure decorated with a leather strap. White frosted glass diffuser. LED lighting.



G22 Pure gold



G23 Dark nickel



G24 Rose gold

BAND FINISHING



BL1 Black leather



BL2 Brown leather



BL3 Red leather

CORDEA S P



ø 22 cm / 8.70"
H 19 cm / 7.50"

INTEGRATED LED LIGHTING
8,4 W CRI>90
3000 K – 1250 NOMINAL LM

DIMM TRIAC




CORDEA S G



ø 36 cm / 14.20"
H 16 cm / 6.30"

INTEGRATED LED LIGHTING
8,4 W CRI>90
3000 K – 1250 NOMINAL LM

DIMM TRIAC




CORDEA C3 RD 40



ø 50 cm / 19.70"
H MAX 170 cm / 67.00"

INTEGRATED LED LIGHTING
25,2 W CRI>90
3000 K – 3750 NOMINAL LM

DIMM 0-10V




CORDEA C3 RD 60



ø 60 cm / 23.60"
H MAX 170 cm / 67.00"

INTEGRATED LED LIGHTING
25,2 W CRI>90
3000 K – 3750 NOMINAL LM

DIMM 0-10V




CORDEA C5 RD 80



ø 80 cm / 31.50"
H MAX 170 cm / 67.00"

INTEGRATED LED LIGHTING
40 W CRI>90
3000 K – 6000 NOMINAL LM

DIMM 0-10V




CORDEA C3 LN 75



L 75 cm / 29.50"
SP 22 cm / 8.70"
H MAX 170 cm / 67.00"

INTEGRATED LED LIGHTING
25,2 W CRI>90
3000 K – 3750 NOMINAL LM

DIMM 0-10V




CORDEA C3 LN 125



L 125 cm / 49.20"
SP 22 cm / 8.70"
H MAX 170 cm / 67.00"

INTEGRATED LED LIGHTING
25,2 W CRI>90
3000 K – 3750 NOMINAL LM

DIMM 0-10V




CORDEA C5 LN 175



L 175 cm / 68.90"
SP 22 cm / 8.70"
H MAX 170 cm / 67.00"

INTEGRATED LED LIGHTING
40 W CRI>90
3000 K – 6000 NOMINAL LM

DIMM 0-10V



CORDEA COLOR SUGGESTIONS

Finishings

BAND	FRAME*
BL1 Black leather	G22 Pure gold G23 Dark nickel G24 Rose gold
BL2 Brown leather	G22 Pure gold G23 Dark nickel G24 Rose gold
BL3 Red leather	G22 Pure gold G23 Dark nickel G24 Rose gold

* Internal side V10 Beige


Tee

TEE PL5

Tee is an exploratory design exercise which balances rigour and elegance, aesthetically distinguished by its curved form. Light spheres are brought to life by contours that reflect the undulating nature of light, connected on organically shaped stems, reminiscent of the gracefulness of the calla lily flower.

DESIGN BY
VALERIO COMETTI
+V12DESIGN

SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP









TEE STL3 LIGHT OFF



TEE S1
COMPOSITION



TEE TL1 20



TEE STL1
TEE A1 20



TEE PL 5+5 RD 120



Tee

Galvanised metal structure. Murano triplex glass diffusers. Traditional lighting.



G25 Golden copper




Triplex Murano glass

TEE S1 20

∅ 20 cm / 7.90"
H 27 cm / 10.60"

STANDARD LIGHTING
1×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE S1 30

∅ 30 cm / 11.80"
H 37 cm / 14.60"

STANDARD LIGHTING
1×E26×60 W MAX (NOT INCL.)*

* BULB MAX Ø 62 mm L 185 mm



TEE PL1 20

∅ 20 cm / 7.90"
H 49 cm / 19.30"

STANDARD LIGHTING
1×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE PL1 30

∅ 30 cm / 11.80"
H 64 cm / 25.20"

STANDARD LIGHTING
1×E26×60 W MAX (NOT INCL.)*

* BULB MAX Ø 62 mm L 185 mm




TEE PL5

∅ 85 cm / 33.50"
H 68 cm / 26.80"

STANDARD LIGHTING
5×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE PL6 95

∅ 94 cm / 37.00"
H 66.5 cm / 26.20"

STANDARD LIGHTING
6×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE PL8 RD 120

∅ 120 cm / 47.20"
H 76.5 cm / 30.10"

STANDARD LIGHTING
8×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE PL8 RD 160

∅ 167 cm / 65.70"
H 83.5 cm / 32.90"

STANDARD LIGHTING
8×E26×60 W MAX (NOT INCL.)*

* BULB MAX Ø 62 mm L 185 mm




TEE PL 4+4 RD 100

∅ 100 cm / 39.40"
H 100 cm / 39.40"

STANDARD LIGHTING
8×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE PL 5+5 RD 120

∅ 120 cm / 47.20"
H 83.5 cm / 32.90"

STANDARD LIGHTING
10×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm




TEE PL8 OV 120

∅ 120 cm / 47.20"
H 63.5 cm / 25.00"
SP 80 cm / 31.50"

STANDARD LIGHTING
8×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm





TEE PL8 OV 160


∅ 160 cm / 63.00"
H 63.5 cm / 25.00"
SP 107 cm / 42.10"


STANDARD LIGHTING
8×E12×40 W MAX (NOT INCL.)*

* BULB MAX Ø 37 mm L 70 mm



TEE A1 20		CE 
L	20 cm / 7.90"	
H	41 cm / 16.10"	
SP	26 cm / 10.20"	
STANDARD LIGHTING		
1×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		





TEE TL1 20		CE 
ø	20 cm / 7.90"	
H	48 cm / 18.90"	
STANDARD LIGHTING		
1×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		





TEE STL1		CE 
ø	30 cm / 11.80"	
H	160 cm / 63.00"	
STANDARD LIGHTING		
1×E26×60 W MAX (NOT INCL.)*		
* BULB MAX Ø 62 mm L 185 mm		





TEE STL3		CE 
L	52 cm / 20.50"	
H	170 cm / 66.90"	
SP	45 cm / 17.70"	
STANDARD LIGHTING		
2×E12×40 W MAX (NOT INCL.)* 1×E26×60 W MAX (NOT INCL.)**		
* BULB MAX Ø 37 mm L 70 mm ** BULB MAX Ø 62 mm L 185 mm		





TEE C3 RD 40		CE 
ø	44 cm / 17.30"	
H MAX	175 cm / 68.90"	
STANDARD LIGHTING		
3×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		





TEE C5 RD 60		CE 
ø	62 cm / 24.40"	
H MAX	175 cm / 68.90"	
STANDARD LIGHTING		
5×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		





TEE C7 RD 80		CE 
ø	80 cm / 31.50"	
H MAX	175 cm / 68.90"	
STANDARD LIGHTING		
7×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		





TEE C3 LN 75		CE 
L	75 cm / 29.50"	
H MAX	175 cm / 68.90"	
STANDARD LIGHTING		
3×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		




TEE C5 LN 125		CE 
L	125 cm / 49.20"	
H MAX	175 cm / 68.90"	
STANDARD LIGHTING		
5×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		



TEE C7 LN 175		CE 
L	175 cm / 68.90"	
H MAX	175 cm / 68.90"	
STANDARD LIGHTING		
7×E12×40 W MAX (NOT INCL.)*		
* BULB MAX Ø 37 mm L 70 mm		



*  : ONLY FOR THE US MARKET.

Ebe

Ebe is inspired by the mythological elegance of Canova's statues. Metal, marble and a brass wire mesh are intertwined to create luminous geometries of timeless, austere beauty.

EBE A
EBE TL

DESIGN BY
NICOLA GALLIZIA

APPLIQUE
TABLE LAMP
FLOOR LAMP



EBE A
EBE STL
EBE TL







Ebe

Painted metal structure. Brass wire mesh design. Onyx base. LED lighting.

EBE A		CE
L	27 cm / 10.60"	
SP	14 cm / 5.50"	
H	40 cm / 15.70"	
STANDARD LIGHTING		
1×E12×40 W MAX (NOT INCL.)		

EBE STL		CE
L	30 cm / 11.80"	
SP	21 cm / 8.25"	
H	140 cm / 55.10"	
INTEGRATED LED LIGHTING		
35 W CRI>95		
3000 K – 3770 NOMINAL LM		
DIMM NO		



EBE TL		CE
L	30 cm / 11.80"	
SP	21 cm / 8.25"	
H	40 cm / 15.70"	
INTEGRATED LED LIGHTING		
11 W CRI>95		
3000 K – 1200 NOMINAL LM		
DIMM NO		



v87 Foundant Chocolate



Brass wire mesh



Posy

POSY VERT 3

Balance and simplicity are the keywords of Posy. The sphere and stem interact with each other to achieve a natural balance that amazes for its natural beauty.

DESIGN BY
SARA MORONI

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP















Posy

Galvanic metal structure . Triplex opal white Murano glass diffuser.




G18 Brushed brass



Triplex Murano glass


POSY S1 12		CE	UL
L	18 cm / 7.09"		
SP	12 cm / 4.72"		
H	14 cm / 5.51"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm




POSY S1 16		CE	UL
L	22 cm / 8.66"		
SP	16 cm / 6.30"		
H	18 cm / 7.09"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 110 mm




POSY S1 20		CE	UL
L	26 cm / 10.24"		
SP	20 cm / 7.87"		
H	22 cm / 8.66"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 150 mm




POSY A1 P		CE	UL
L	22 cm / 8.66"		
SP	22 cm / 8.66"		
H	16 cm / 6.30"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 110 mm




POSY A1 G		CE	UL
L	26 cm / 10.24"		
SP	26 cm / 10.24"		
H	20 cm / 7.87"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 110 mm




POSY TL		CE	UL
L	26 cm / 10.24"		
SP	20 cm / 7.87"		
H	20 cm / 7.87"		
STANDARD LIGHTING			
1×E12×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 110 mm




POSY STL		CE	UL
L	39 cm / 15.35"		
SP	32 cm / 12.60"		
H	152 cm / 59.84"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			
2×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm




POSY S1 25		CE	UL
L	31 cm / 12.20"		
SP	25 cm / 9.84"		
H	29 cm / 11.42"		
STANDARD LIGHTING			
1×E26×20 W MAX (NOT INCL.)*			

* BULB MAX Ø 62 mm L 185 mm




POSY BIL3		CE	UL
L	100 cm / 39.37"		
SP	33 cm / 12.99"		
H	34 cm / 13.39"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			
2×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm



POSY BIL4		CE	UL
L	140 cm / 55.12"		
SP	38 cm / 14.96"		
H	29 cm / 11.42"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			
3×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm



POSY S3		CE	UL
ø	40 cm / 15.75"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			
2×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm




POSY S5		CE	UL
ø	60 cm / 23.62"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
2×G9×10 W MAX (NOT INCL.)*			
3×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm




POSY C5 RD 40		CE	UL
ø	40 cm / 15.75"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
5×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm




POSY C7 RD 60		CE	UL
ø	60 cm / 23.62"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
7×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm




POSY BIL6		CE	UL
L	180 cm / 70.87"		
SP	42 cm / 16.53"		
H	31 cm / 12.20"		
STANDARD LIGHTING			
2×G9×10 W MAX (NOT INCL.)*			
4×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm




POSY VERT 2		CE	UL
L	42 cm / 16.54"		
SP	20 cm / 7.87"		
H	102 cm / 40.16"		
STANDARD LIGHTING			
2×E12×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm




POSY VERT 3		CE	UL
L	39 cm / 15.35"		
SP	32 cm / 12.60"		
H	142 cm / 55.91"		
STANDARD LIGHTING			
1×G9×10 W MAX (NOT INCL.)*			
2×E12×10 W MAX (NOT INCL.)**			

* BULB MAX Ø 37 mm L 70 mm
** BULB MAX Ø 37 mm L 110 mm




POSY C10 RD 80		CE	UL
ø	80 cm / 31.49"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
10×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm




POSY C5 LN 75		CE	UL
L	75 cm / 29.52"		
SP	20 cm / 7.87"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
5×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm




POSY C7 LN 125		CE	UL
L	125 cm / 49.21"		
SP	20 cm / 7.87"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
7×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm



POSY C10 LN 175		CE	UL
L	175 cm / 68.90"		
SP	20 cm / 7.87"		
H MAX	160 cm / 62.99"		
STANDARD LIGHTING			
10×G9×10 W MAX (NOT INCL.)*			

* BULB MAX Ø 37 mm L 70 mm



Iglù


IGLÙ S6+1

Iglù is an intuition born from observing the perfection of the sphere, transformed into a perfect, recognisable and unique shape by mesh that, rather than obstruct the light, instead creates a pattern of light and shadow, transforming the metal into a luminous jewel.

DESIGN BY
ORIANO FAVARETTO

SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP







IGLÙ PL13
IGLÙ PL18
IGLÙ PL25







Iglù

Metal structure painted with brushed patina. LED lighting.



v86 Coated bronze




Gold mesh - v94


IGLÙ S1 25		CE	Ⓜ
ø	25,5 cm / 10.04"		
H	25,5 cm / 10.04"		
INTEGRATED LED LIGHTING			
	15.5 W CRI>90		
	3000 K – 2100 NOMINAL LM		
DIMM 0-10V			




IGLÙ S2		CE	Ⓜ
L	58 cm / 22.83"		
H	18 cm / 7.09"		
SP	18 cm / 7.09"		
INTEGRATED LED LIGHTING			
	19.8 W CRI>90		
	3000 K – 2600 NOMINAL LM		
DIMM 0-10V			



IGLÙ A1		CE	Ⓜ
L	24 cm / 9.45"		
H	18 cm / 7.09"		
SP	28 cm / 11.02"		
INTEGRATED LED LIGHTING			
UP	2.6 W CRI>90		
	3000 K – 346 NOMINAL LM		
DOWN	8.4 W CRI>90		
	3000 K – 1150 NOMINAL LM		
DIMM TRIAC			




IGLÙ TL1		CE	Ⓜ
L	24 cm / 9.45"		
H	55 cm / 21.65"		
SP	28 cm / 11.02"		
INTEGRATED LED LIGHTING			
UP	3.7 W CRI>90		
	3000 K – 462 NOMINAL LM		
DOWN	11.4 W CRI>90		
	3000 K – 1450 NOMINAL LM		
DIMM OWN BUTTON			




IGLÙ STL1		CE	Ⓜ
L	24 cm / 9.45"		
H	162 cm / 63.78"		
SP	28 cm / 11.02"		
INTEGRATED LED LIGHTING			
UP	3.7 W CRI>90		
	3000 K – 462 NOMINAL LM		
DOWN	11.4 W CRI>90		
	3000 K – 1450 NOMINAL LM		
DIMM OWN BUTTON			




IGLÙ S6+1		CE	Ⓜ
ø	96 cm / 37.80"		
H	52 cm / 20.47"		
INTEGRATED LED LIGHTING			
	26.6 W CRI>90		
	3000 K – 3626 NOMINAL LM		
DIMM 0-10V			



IGLÙ S12+1		CE	Ⓜ
ø	96 cm / 37.80"		
H	68 cm / 26.77"		
INTEGRATED LED LIGHTING			
	49.4 W CRI>90		
	3000 K – 6734 NOMINAL LM		
DIMM 0-10V			



IGLÙ S18+1		CE	Ⓜ
ø	136 cm / 53.54"		
H	82 cm / 32.28"		
INTEGRATED LED LIGHTING			
	73.5 W CRI>90		
	3000 K – 10258 NOMINAL LM		
DIMM 0-10V			




IGLÙ S7		CE	Ⓜ
ø	60 cm / 23.62"		
H MAX	150 cm / 62.99"		
INTEGRATED LED LIGHTING			
	52.3 W CRI>90		
	3000 K – 6700 NOMINAL LM		
DIMM 0-10V			



IGLÙ C5 RD 40		CE	Ⓜ
ø	40cm/ 15.74"		
H MAX	150 cm / 59.05"		
INTEGRATED LED LIGHTING			
	27W CRI>90		
	3000K - 3440 NOMINAL LM		
DIMM 0-10V			



IGLÙ C7 RD 60		CE	Ⓜ
ø	60cm/ 23.62"		
H MAX	150 cm / 59.05"		
INTEGRATED LED LIGHTING			
	37.8W CRI>90		
	3000K - 4816 NOMINAL LM		
DIMM 0-10V			



IGLÙ C10 RD 80		CE	Ⓜ
ø	80cm/ 31.49"		
H MAX	150 cm / 59.05"		
INTEGRATED LED LIGHTING			
	50W CRI>90		
	3000K - 6384 NOMINAL LM		
DIMM 0-10V			



IGLÙ PL 13		CE	Ⓜ
ø	13 cm / 5.12"		
H	13 cm / 5.12"		
INTEGRATED LED LIGHTING			
	5.4 W CRI>90		
	3000 K – 688 NOMINAL LM		
DIMM NO			




IGLÙ PL 18		CE	Ⓜ
ø	18 cm / 7.09"		
H	18 cm / 7.09"		
INTEGRATED LED LIGHTING			
	8.4 W CRI>90		
	3000 K – 1300 NOMINAL LM		
DIMM TRIAC			




IGLÙ PL 25		CE	Ⓜ
ø	25.5 cm / 10.04"		
H	25.5 cm / 10.04"		
INTEGRATED LED LIGHTING			
	15.5 W CRI>90		
	3000 K – 2100 NOMINAL LM		
DIMM 0-10V			




IGLÙ C5 LN 75		CE	Ⓜ
L	75 cm / 29.52"		
SP	20 cm / 7.87"		
H MAX	150 cm / 59.05"		
INTEGRATED LED LIGHTING			
	27W CRI>90		
	3000K - 3440 NOMINAL LM		
DIMM 0-10V			



IGLÙ C7 LN 125		CE	Ⓜ
L	125 cm / 49.21"		
SP	20 cm / 7.87"		
H MAX	150 cm / 59.05"		
INTEGRATED LED LIGHTING			
	37.8W CRI>90		
	3000K - 4816 NOMINAL LM		
DIMM 0-10V			



IGLÙ C10 LN 175		CE	Ⓜ
L	175 cm / 68.89"		
SP	20 cm / 7.87"		
H MAX	150 cm / 59.05"		
INTEGRATED LED LIGHTING			
	50W CRI>90		
	3000K - 6384 NOMINAL LM		
DIMM 0-10V			



Horo

HORO S5

Horo is inspired by the shape of a circle in all its infinite expressions such as the sun, a disc of light and a universally recognised symbol, as old as the world itself. Horo is a simple, minimal collection, a “graphic form” given a vintage mood by the special metal and glass finishes.




“As Awarded by The Chicago Athenaeum: Museum of Architecture and Design”

DESIGN BY
PIERRE GONALONS

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP







HORO A



HORO S1



HORO S3





HORO TL



HORO A



Horo

Metal frame with prism or spectrum finishing glass diffuser. LED lighting.



G18 Brushed Brass




TR Transparent glass



FM Smoky glass



VD Green glass



AZ Light Blue glass



RS Pink glass



SA Amber spectrum



SG Grey spectrum

HORO S1		CE	RoHS
L	30 cm / 11.81"		
SP	8 cm / 3.14"		
H	34 cm / 13.38"		
INTEGRATED LED LIGHTING			
LED	14.4 W CRI>95		
	3000 K – 1854 NOMINAL LM		
DIMM	NO		




HORO S3		CE	RoHS
INTEGRATED LED LIGHTING			
LED	43.2 W CRI>95		
	3000 K – 5562 NOMINAL LM		
DIMM	0-10V		




HORO S5		CE	RoHS
INTEGRATED LED LIGHTING			
LED	72 W CRI>95		
	3000 K – 9270 NOMINAL LM		
DIMM	0-10V		




HORO C3 LN 125		CE	RoHS
L	125 cm / 49.21"		
SP	20 cm / 7.87"		
H MAX	155 cm / 61.02"		
INTEGRATED LED LIGHTING			
LED	43.2 W CRI>95		
	3000 K – 5562 NOMINAL LM		
DIMM	0-10V		



HORO C5 LN 175		CE	RoHS
L	175 cm / 68.89"		
SP	20 cm / 7.87"		
H MAX	155 cm / 61.02"		
INTEGRATED LED LIGHTING			
LED	72 W CRI>95		
	3000 K – 9270 NOMINAL LM		
DIMM	0-10V		



HORO A		CE	RoHS
L	30 cm / 11.81"		
SP	12 cm / 4.72"		
H	30 cm / 11.81"		
INTEGRATED LED LIGHTING			
LED	14.4 W CRI>95		
	3000 K – 1854 NOMINAL LM		
DIMM	NO		




HORO TL		CE
L	30 cm / 11.81"	
SP	20 cm / 7.87"	
H	60 cm / 23.62"	
INTEGRATED LED LIGHTING		
LED	14.4 W CRI>95	
	3000 K – 1854 NOMINAL LM	
DIMM	OWN BUTTON	




HORO STL		CE
L	30 cm / 7.87"	
SP	25 cm / 9.84"	
H	150 cm / 59.05"	
INTEGRATED LED LIGHTING		
LED	14.4 W CRI>95	
	3000 K – 1854 NOMINAL LM	
DIMM	OWN BUTTON	



HORO C3 RD 60		CE	RoHS
ø	60 cm / 23.62"		
H MAX	155 cm / 61.02"		
INTEGRATED LED LIGHTING			
LED	43.2 W CRI>95		
	3000 K – 5562 NOMINAL LM		
DIMM	0-10V		



HORO C5 RD 80		CE	RoHS
ø	80 cm / 31.49"		
H MAX	155 cm / 61.02"		
INTEGRATED LED LIGHTING			
LED	72 W CRI>95		
	3000 K – 9270 NOMINAL LM		
DIMM	0-10V		



Vegas

Vegas is loosely inspired by the architecture of Las Vegas, the city that never sleeps. With their classic geometric style, the iconic Art Deco lights are reinterpreted in a contemporary key, combining glass and metal using the most modern manufacturing techniques.


VEGAS VRT 70
VEGAS VRT 140
VEGAS VRT 180

DESIGN BY
MARC SADLER


SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP











VEGAS A P VRT



VEGAS A G VRT




VEGAS S OV 120





VEGAS VRT 70
VEGAS VRT 140
VEGAS VRT 180




VEGAS TL G

Vegas

Metal frame with diffuser in strips of rock looking glass. LED lighting.




F04 Champagne leaf



Hand made glass


VEGAS S RD12		CE	UL
ø	12 cm / 4.72"		
H	28 cm / 11.02"		
INTEGRATED LED LIGHTING			
	5.4 W CRI>90		
	3000K - 688 Nominal lm		
DIMM	TRIAC		




VEGAS S RD40		CE	UL
ø	40 cm / 15.74"		
H	40 cm / 15.74"		
INTEGRATED LED LIGHTING			
	30 W CRI>95		
	3000 K - 3862 NOMINAL LM		
DIMM	0-10V		




VEGAS S RD60		CE	UL
ø	60 cm / 23.62"		
H	40 cm / 15.74"		
INTEGRATED LED LIGHTING			
	56.4 W CRI>95		
	3000 K - 7261 NOMINAL LM		
DIMM	0-10V		



VEGAS S VRT70		CE	UL
ø	27 cm / 10.62"		
H	67 cm / 26.37"		
INTEGRATED LED LIGHTING			
	21 W CRI>95		
	3000 K - 2781 NOMINAL LM		
DIMM	0-10V		



VEGAS S VRT90		CE	UL
ø	27 cm / 10.62"		
H	94 cm / 37.00"		
INTEGRATED LED LIGHTING			
	41 W CRI>95		
	3000 K - 5253 NOMINAL LM		
DIMM	0-10V		



VEGAS S VRT140		CE	UL
ø	27 cm / 10.62"		
H	135 cm / 53.14"		
INTEGRATED LED LIGHTING			
	56 W CRI>95		
	3000 K - 7261 NOMINAL LM		
DIMM	0-10V		




VEGAS S VRT180		CE	UL
ø	27 cm / 10.62"		
H	175 cm / 68.89"		
INTEGRATED LED LIGHTING			
	72 W CRI>95		
	3000 K - 9270 NOMINAL LM		
DIMM	0-10V		




VEGAS S RD40 DB		CE	UL
ø	40 cm / 15.74"		
H	50 cm / 19.68"		
INTEGRATED LED LIGHTING			
	33 W CRI>95		
	3000 K - 4248 NOMINAL LM		
DIMM	0-10V		




VEGAS S RD 60DB		CE	UL
ø	60 cm / 23.62"		
H	50 cm / 19.68"		
INTEGRATED LED LIGHTING			
	55 W CRI>95		
	3000 K - 6592 NOMINAL LM		
DIMM	0-10V		




VEGAS BIL 90		CE	UL
L	94 cm / 37.00"		
SP	27 cm / 10.62"		
H	27 cm / 10.62"		
INTEGRATED LED LIGHTING			
	41 W CRI>95		
	3000 K - 5253 NOMINAL LM		
DIMM	0-10V		




VEGAS BIL 140		CE	UL
L	135 cm / 53.14"		
SP	27 cm / 10.62"		
H	27 cm / 10.62"		
INTEGRATED LED LIGHTING			
	56 W CRI>95		
	3000 K - 7261 NOMINAL LM		
DIMM	0-10V		




VEGAS BIL 180		CE	UL
L	175 cm / 68.89"		
SP	27 cm / 10.62"		
H	27 cm / 10.62"		
INTEGRATED LED LIGHTING			
	72 W CRI>95		
	3000 K - 9270 NOMINAL LM		
DIMM	0-10V		




VEGAS S OV85		CE	UL
L	85 cm / 33.46"		
SP	34 cm / 13.38"		
H	40 cm / 15.74"		
INTEGRATED LED LIGHTING			
	58.8 W CRI>95		
	3000 K - 7570 NOMINAL LM		
DIMM	0-10V		




VEGAS S OV120		CE	UL
L	120 cm / 47.24"		
SP	48 cm / 18.89"		
H	40 cm / 15.74"		
INTEGRATED LED LIGHTING			
	67.2 W CRI>95		
	3000 K - 8806 NOMINAL LM		
DIMM	0-10V		




VEGAS S OV160		CE	UL
L	160 cm / 62.99"		
SP	65 cm / 25.59"		
H	40 cm / 15.74"		
INTEGRATED LED LIGHTING			
	119 W CRI>95		
	3000 K - 15372 NOMINAL LM		
DIMM	0-10V		




VEGAS A P VRT		CE	UL
L	28 cm / 11.02"		
SP	10 cm / 3.93"		
H	38 cm / 14.96"		
INTEGRATED LED LIGHTING			
	7 W CRI>95		
	3000 K - 927 NOMINAL LM		
DIMM	0-10V		




VEGAS A G VRT		CE	UL
L	28 cm / 11.02"		
SP	10 cm / 3.93"		
H	79 cm / 31.10"		
INTEGRATED LED LIGHTING			
	14 W CRI>95		
	3000 K - 1854 NOMINAL LM		
DIMM	0-10V		



VEGAS A P		CE	UL
L	38 cm / 14.96"		
SP	10 cm / 3.93"		
H	28 cm / 11.02"		
INTEGRATED LED LIGHTING			
	7 W CRI>95		
	3000 K - 927 NOMINAL LM		
DIMM	0-10V		




VEGAS A G		CE	UL
L	79 cm / 31.10"		
SP	10 cm / 3.93"		
H	28 cm / 11.02"		
INTEGRATED LED LIGHTING			
	14 W CRI>95		
	3000 K - 1854 NOMINAL LM		
DIMM	0-10V		



VEGAS TL G 

L	30 cm / 11.81"
SP	18 cm / 7.08"
H	45 cm / 17.71"

INTEGRATED LED LIGHTING	
	10.8 W CRI>95
	3000 K - 1390 NOMINAL LM
DIMM	OWN BUTTON



VEGAS STL 

L	57 cm / 22.40"
SP	30 cm / 11.80"
H	160 cm / 63.00"


INTEGRATED LED LIGHTING	
	33,6 W CRI>95
	3000 K - 4324 NOMINAL LM
DIMM	OWN BUTTON



VEGAS C3 LN 75 

L	75 cm / 29.52"
SP	20 cm / 7.87"
H MAX	150 cm / 59.05"


INTEGRATED LED LIGHTING	
	16.2 W CRI>90
	3000 K - 2064 NOMINAL LM
DIMM	0-10V




VEGAS C5 LN 125 

L	125 cm / 49.21"
SP	20 cm / 7.87"
H MAX	150 cm / 59.05"


INTEGRATED LED LIGHTING	
	27 W CRI>90
	3000K - 3440 Nominal lm
DIMM	0-10V



VEGAS C7 LN 175 

L	175 cm / 68.89"
SP	20 cm / 7.87"
H MAX	150 cm / 59.05"

INTEGRATED LED LIGHTING	
	37.8 W CRI>90
	3000K - 4816 Nominal lm
DIMM	0-10V



VEGAS C3 RD 40 

ø	40 cm / 15.74"
H MAX	150 cm / 59.05"

INTEGRATED LED LIGHTING	
	16.2 W CRI>90
	3000K - 2064 Nominal lm
DIMM	0-10V




VEGAS C5 RD 60 

ø	60 cm / 23.62"
H MAX	150 cm / 59.05"


INTEGRATED LED LIGHTING	
	27 W CRI>90
	3000K - 3440 Nominal lm
DIMM	0-10V



VEGAS C7 RD 80 

ø	80 cm / 31.49"
H MAX	150 cm / 59.05"

INTEGRATED LED LIGHTING	
	37.8 W CRI>90
	3000K - 4816 Nominal lm
DIMM	0-10V



Honicé

HONICÉ S80

Honicé is inspired by the beauty and majesty of onyx, one of the oldest stones in the world. Legend has it that onyx was created when Cupid cut Venus' nails. Since the parts of a divine being cannot be mortal, the gods transformed them into a gemstone, onyx. It has something magical about it, a thin skin of stone, but transparent. Honicé brings brightness and luminosity to the solidity of marble.

DESIGN BY
ORIANO FAVARETTO

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP







HONICÉ A65



HONICÉ A37





Honicé

Metal frame with natural onyx diffuser. LED lighting.



v99 Painted matt gold



g01 Burnished*


*NOT AVAILABLE FOR HONICÉ S80 AND HONICÉ S50



Onyx


HONICÉ S200

L	200 cm / 78.74"
SP	8 cm / 3.14"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	21.1 W CRI>95 3000 K – 2781 NOMINAL LM
DOWN	44.46 W CRI>95 3000 K – 5871 NOMINAL LM
DIMM	0-10V




HONICÉ S150

L	150 cm / 59.05"
SP	8 cm / 3.14"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	17 W CRI>95 3000 K – 1854 NOMINAL LM
DOWN	33.5 W CRI>95 3000 K – 4326 NOMINAL LM
DIMM	0-10V




HONICÉ S100

L	100 cm / 39.37"
SP	8 cm / 3.14"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	9.36 W CRI>95 3000 K – 1236 NOMINAL LM
DOWN	21.1 W CRI>95 3000 K – 2781 NOMINAL LM
DIMM	0-10V




HONICÉ TL

L	38 cm / 15.00"
SP	16 cm / 6.30"
H	48 cm / 18.90"
INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 860 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 860 NOMINAL LM
DIMM	OWN BUTTON




HONICÉ STL

L	38 cm / 15.00"
SP	16 cm / 6.30"
H	160 cm / 63.00"
INTEGRATED LED LIGHTING	
UP	6 W CRI>95 3000 K – 860 NOMINAL LM
DOWN	6 W CRI>95 3000 K – 860 NOMINAL LM
DIMM	OWN BUTTON




HONICÉ S70

L	70 cm / 27.55"
SP	8 cm / 3.14"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	7 W CRI>95 3000 K – 927 NOMINAL LM
DOWN	15 W CRI>95 3000 K – 2008 NOMINAL LM
DIMM	0-10V



HONICÉ S80

L	80 cm / 31.49"
SP	80 cm / 31.49"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	28.1 W CRI>95 3000 K – 4326 NOMINAL LM
DOWN	60.85 W CRI>95 3000 K – 7416 NOMINAL LM
DIMM	0-10V




HONICÉ S50

L	50 cm / 19.68"
SP	50 cm / 19.68"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	15.21 W CRI>95 3000 K – 2008 NOMINAL LM
DOWN	32.76 W CRI>95 3000 K – 4326 NOMINAL LM
DIMM	0-10V




HONICÉ A65

L	65 cm / 25.59"
SP	13 cm / 5.11"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	5.8 W CRI>95 3000 K – 849 NOMINAL LM
DOWN	5.8 W CRI>95 3000 K – 849 NOMINAL LM
DIMM	0-10V



HONICÉ A37

L	37 cm / 14.56"
SP	13 cm / 5.11"
H	33 cm / 12.99"
INTEGRATED LED LIGHTING	
UP	3.51 W CRI>95 3000 K – 463 NOMINAL LM
DOWN	3.51 W CRI>95 3000 K – 463 NOMINAL LM
DIMM	0-10V



Nappe

The Nappe collection is an expression of the company's close ties to the local area. It is inspired by the "nappine" (tassels), typically used to close curtains and adorn Venetian salons in the old days. Ten different tassel shapes have been stylised by disassembling and simplifying these decorative objects.

NAPPE C5


DESIGN BY
MARCO ZITO

SUSPENSION
APPLIQUE











NAPPE APP N4




NAPPE APP N2





NAPPE XL2
NAPPE XL1
NAPPE XL3





NAPPE XL1

Nappe

Painted metal frame with metal or Pyrex rods. Pyrex diffusors. Led Lighting.

TOTAL WHITE



v95 Matt white

MIXED COLOURS



V95 + V21 + V51 + V72

METAL BEAMS



v93 Painted gold

NAPPE METAL DETAILS



G12 Brushed gold



G12 Brushed gold



G12 Brushed gold

TOTAL BLACK



v90 Matt Black

MIXED WARM



V35 + V70 + V84

DIFFUSER



Smoky Pyrex

NAPPE XL METAL DETAILS




F01 Gold leaf



F01 Gold leaf

NAPPE N0	
ø 7.5 cm / 2.95"	
H 34 cm / 13.38"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N1	
ø 15 cm / 5.90"	
H 36 cm / 14.17"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N6	
ø 15 cm / 5.90"	
H 32 cm / 12.59"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N7	
ø 7.5 cm / 2.95"	
H 34 cm / 13.38"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC




NAPPE N8	
ø 15 cm / 5.90"	
H 39 cm / 15.35"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N9	
ø 7.5 cm / 2.95"	
H 39 cm / 15.35"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N2	
ø 15 cm / 5.90"	
H 40 cm / 15.74"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N3	
ø 7.5 cm / 2.95"	
H 36 cm / 14.17"	


INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE APP N4	
L 12 cm / 4.72"	
SP 16 cm / 6.29"	
H 42 cm / 16.53"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM


DIMM TRIAC



NAPPE APP N2	
L 15 cm / 5.90"	
SP 19.7 cm / 7.75"	
H 43 cm / 16.92"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM

DIMM TRIAC



NAPPE XL1	
ø 30 cm / 11.81"	
H 125 cm / 49.21"	

INTEGRATED LED LIGHTING
UP 7 W CRI>90
3000 K - 1200 NOMINAL LM
DOWN 8.5 W CRI>90
3000 K - 1320 NOMINAL LM
DIMM 0-10V




NAPPE XL2	
ø 35 cm / 13.77"	
H 135 cm / 53.14"	

INTEGRATED LED LIGHTING
UP 7 W CRI>90
3000 K - 1200 NOMINAL LM
DOWN 8.5 W CRI>90
3000 K - 1320 NOMINAL LM
DIMM 0-10V




NAPPE N4	
ø 7.5 cm / 2.95"	
H 38 cm / 14.96"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE N5	
ø 15 cm / 5.90"	
H 40 cm / 15.74"	

INTEGRATED LED LIGHTING
5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE XL3	
ø 30 cm / 11.81"	
H 110 cm / 43.30"	

INTEGRATED LED LIGHTING
12.2 W CRI>90
3000 K - 2000 NOMINAL LM


DIMM 0-10V



NAPPE C3	
-----------------	--

INTEGRATED LED LIGHTING
3 × 16.2 W CRI>90
3000 K - 2064 NOMINAL LM


DIMM 0-10V



NAPPE C5	
-----------------	--

INTEGRATED LED LIGHTING
5 × 27 W CRI>90
3000 K - 3440 NOMINAL LM


DIMM 0-10V




NAPPE C10	
------------------	--

INTEGRATED LED LIGHTING
10 × 54 W CRI>90
3000 K - 6880 NOMINAL LM

DIMM 0-10V



NAPPE C3 LN 75 


L 75 cm / 29.52"
 SP 20 cm / 7.87"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

NAPPE C3 LN 125 

L 125 cm / 49.21"
 SP 20 cm / 7.87"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

NAPPE C5 LN 175 




L 175 cm / 68.89"
 SP 20 cm / 7.87"
 H MAX 155 cm / 61.02"


INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM

DIMM 0-10V

DIMM 0-10V

DIMM 0-10V



NAPPE C3 RD 40 


ø 40 cm / 15.74"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

NAPPE C3 RD 60 

ø 60 cm / 23.62"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

NAPPE C5 RD 80 



ø 80 cm / 31.49"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM


DIMM 0-10V

DIMM 0-10V


DIMM 0-10V




SUGGESTED CONFIGURATION FOR C3



SUGGESTED CONFIGURATION FOR C5



SUGGESTED CONFIGURATION FOR C10



Olà


OLA S6 90

A jewel of design born from a synthesis of experience and creativity. Designed more than a decade ago by Masiero's creative atelier, the contrast between its simple metal frame and luxurious cascade of pendants makes Olà a Masiero icon.

DESIGN BY
MASIERO LAB

SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP







OLA TL2



OLA S6 90



OLÀ S6 OV 160



OLÀ PL6 90



OLÀ S6 40



OLÀ STL2





OLÀ A1 OV 50



OLÀ C3 LN 75

OLÀ S6 90



OLÀ A2 OV 50

Painted metal frame with pendants.



F01 Gold leaf frame amber pendants



F02 Silver leaf frame transp. pendants



F03 Copper leaf frame copper pendants



G01 Burnished frame amber pendants



TRANSPARENT PENDANTS



AMBER PENDANTS



COPPER PENDANTS



SMOKY PENDANTS



COLD PENDANTS



WARM PENDANTS




v30 Oxide red frame cold pendants




v50 Blue navy frame amber pendants



v83 Matt bronze frame warm pendants



v90 Matt black frame smoky pendants



v95 Matt white frame cold pendants



AMBER PENDANTS




SMOKY PENDANTS



WARM PENDANTS


OLÀ S12 120

ø 120 cm / 47.24"
H 20 cm / 7.87"

STANDARD LIGHTING 
12×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 15.6 W CRI>95
3000 K – 1856 NOMINAL LM
DOWN 62.4 W CRI>95
3000 K – 7425 NOMINAL LM
DIMM 0-10V




OLÀ S6 60

ø 60 cm / 23.62"
H 20 cm / 7.87"

STANDARD LIGHTING 
6×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 7.8 W CRI>95
3000 K – 928 NOMINAL LM
DOWN 23.4 W CRI>95
3000 K – 2784 NOMINAL LM
DIMM 0-10V




OLÀ S2 15

ø 15 cm / 5.90"
H 26 cm / 10.23"

STANDARD LIGHTING 
1×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

DOWN 7.5 W CRI>90
3000 K – 1080 NOMINAL LM
DIMM TRIAC



OLÀ S6 90

ø 90 cm / 35.43"
H 20 cm / 7.87"

STANDARD LIGHTING 
8×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 10.4 W CRI>95
3000 K – 1236 NOMINAL LM
DOWN 31.2 W CRI>95
3000 K – 3708 NOMINAL LM
DIMM 0-10V




OLÀ S6 40

ø 40 cm / 15.74"
H 20 cm / 7.87"

STANDARD LIGHTING 
6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 13.7 W CRI>95
3000 K – 1625 NOMINAL LM
DOWN 13.7 W CRI>95
3000 K – 1625 NOMINAL LM
DIMM 0-10V




OLÀ S8 OV 210

L 210 cm / 82.67"
SP 20 cm / 7.87"
H 20 cm / 7.87"

STANDARD LIGHTING 
8×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


UP 15.6 W CRI>95
3000 K – 1856 NOMINAL LM
DOWN 70.2 W CRI>95
3000 K – 8560 NOMINAL LM
DIMM 0-10V




OLÀ S6 OV 160

L 160 cm / 63.00"
SP 14 cm / 5.50"
H 20 cm / 7.87"

STANDARD LIGHTING 
6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 10.4 W CRI>95
3000 K – 1236 NOMINAL LM
DOWN 50.7 W CRI>95
3000 K – 6033 NOMINAL LM
DIMM 0-10V




OLÀ PL12 120

ø 120 cm / 47.24"
H 26 cm / 10.23"

STANDARD LIGHTING 
12×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


DOWN 62.4 W CRI>95
3000 K – 7425 NOMINAL LM
DIMM 0-10V




OLÀ PL8 OV 210

L 210 cm / 82.67"
SP 20 cm / 7.87"
H 26 cm / 10.23"

STANDARD LIGHTING 
8×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


DOWN 70.2 W CRI>95
3000 K – 8560 NOMINAL LM
DIMM 0-10V




OLÀ S4 OV 100

L 100 cm / 39.37"
SP 13 cm / 5.12"
H 20 cm / 7.87"

STANDARD LIGHTING 
4×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 5.2 W CRI>95
3000 K – 618 NOMINAL LM
DOWN 25.35 W CRI>95
3000 K – 3016 NOMINAL LM
DIMM 0-10V




OLÀ PL6 90

ø 90 cm / 35.50"
H 26 cm / 10.23"

STANDARD LIGHTING 
8×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


DOWN 31.2 W CRI>95
3000 K – 3708 NOMINAL LM
DIMM 0-10V




OLÀ PL6 OV 160

L 160 cm / 62.99"
SP 13 cm / 5.12"
H 26 cm / 10.23"

STANDARD LIGHTING 
6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


DOWN 50.7 W CRI>95
3000 K – 6033 NOMINAL LM
DIMM 0-10V




OLÀ S2 OV 50

L 50 cm / 19.69"
SP 8 cm / 3.14"
H 18 cm / 7.09"

STANDARD LIGHTING 
2×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 5.2 W CRI>95
3000 K – 618 NOMINAL LM
DOWN 7.8 W CRI>95
3000 K – 930 NOMINAL LM
DIMM NO




OLÀ PL6 60

ø 60 cm / 23.62"
H 26 cm / 10.23"

STANDARD LIGHTING 
6×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


DOWN 23.4 W CRI>95
3000 K – 2784 NOMINAL LM
DIMM 0-10V




OLÀ PL4 OV 100

L 100 cm / 39.37"
SP 13 cm / 5.12"
H 26 cm / 10.23"

STANDARD LIGHTING 
4×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


DOWN 25.35 W CRI>95
3000 K – 3016 NOMINAL LM
DIMM 0-10V




OLÀ S1 OV 30

L 30 cm / 11.81"
SP 7 cm / 2.75"
H 18 cm / 7.09"

STANDARD LIGHTING 
1×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 


UP 4 W CRI>95
3000 K – 464 NOMINAL LM
DOWN 4 W CRI>95
3000 K – 464 NOMINAL LM
DIMM NO




OLÀ PL6 40

ø 40 cm / 15.74"
H 26 cm / 10.23"

STANDARD LIGHTING 
6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 13.7 W CRI>95
3000 K – 1625 NOMINAL LM
DIMM 0-10V




OLÀ A6 OV 160

L 160 cm / 62.99"
 SP 20 cm / 7.87"
 H 20 cm / 7.87"


STANDARD LIGHTING 
 6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 10.4 W CRI>95
 3000 K – 1236 NOMINAL LM
 DOWN 50.7 W CRI>95
 3000 K – 6033 NOMINAL LM
 DIMM 0-10V


**OLÀ A2 OV 70**

L 70 cm / 27.56"
 SP 15 cm / 5.90"
 H 20 cm / 7.87"


STANDARD LIGHTING 
 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 11.7 W CRI>95
 3000 K – 1390 NOMINAL LM
 DOWN 19.5 W CRI>95
 3000 K – 2300 NOMINAL LM
 DIMM 0-10V


**OLÀ A2 OV 50**

L 50 cm / 19.68"
 SP 12 cm / 4.72"
 H 18 cm / 7.08"


STANDARD LIGHTING 
 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 5.2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7.8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM NO


**OLÀ A1 OV 30**

L 30 cm / 11.81"
 SP 10 cm / 3.94"
 H 18 cm / 7.08"


STANDARD LIGHTING 
 1×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 4 W CRI>95
 3000 K – 464 NOMINAL LM
 DOWN 4 W CRI>95
 3000 K – 464 NOMINAL LM
 DIMM NO

**OLÀ C3 LN 75**


L 75 cm / 29.52"
 SP 20 cm / 7.87"
 H MAX 180 cm / 70.86"

STANDARD LIGHTING 
 3×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

DOWN 22.5 W CRI>90
 3000 K – 3240 NOMINAL LM

DIMM 0-10V

**OLÀ C5 LN 125**


L 125 cm / 49.21"
 SP 20 cm / 7.87"
 H MAX 180 cm / 70.86"

STANDARD LIGHTING 
 5×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

DOWN 37.5 W CRI>90
 3000 K – 5400 NOMINAL LM

DIMM 0-10V

**OLÀ C7 LN 175**


L 175 cm / 68.89"
 SP 20 cm / 7.87"
 H MAX 180 cm / 70.86"

STANDARD LIGHTING 
 7×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

DOWN 52.5 W CRI>90
 3000 K – 7560 NOMINAL LM

DIMM 0-10V


**OLÀ TL2**

L 50 cm / 19.68"
 SP 16 cm / 6.30"
 H 50 cm / 19.68"


STANDARD LIGHTING 
 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 5.2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7.8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM OWN BUTTON

**OLÀ STL2**

L 50 cm / 19.68"
 SP 24 cm / 9.45"
 H 180 cm / 70.86"


STANDARD LIGHTING 
 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 5.2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7.8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM OWN BUTTON

**OLÀ C3 RD 40**


ø 40 cm / 15.74"
 H MAX 180 cm / 70.86"

STANDARD LIGHTING 
 3×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

DOWN 22.5 W CRI>90
 3000 K – 3240 NOMINAL LM

DIMM 0-10V

**OLÀ C5 RD 60**


ø 60 cm / 23.62"
 H MAX 180 cm / 70.86"

STANDARD LIGHTING 
 5×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

DOWN 37.5 W CRI>90
 3000 K – 5400 NOMINAL LM

DIMM 0-10V

**OLÀ C7 RD 80**


ø 80 cm / 31.49"
 H MAX 180 cm / 70.86"

STANDARD LIGHTING 
 7×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 52.5 W CRI>90
 3000 K – 7560 NOMINAL LM

DIMM 0-10V



Eva

EVA S10

Not by chance we named it Eva. The Eva collection magnificently embodies the modern interpretation of classic chandeliers. Like a freshly opened flower, it enchants you with its fluid sinuosity, conveying a sense of peace and contentment.

DESIGN BY
MASIERO LAB

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP







EVA A2



EVA S3+1







EVA TL1 M



EVA STL3+1

Eva


Lamp with resin and polyurethane frame. Aluminium lampshades.



F01 Gold leaf



F02 Silver leaf



v95 Matt white




v50 Blue navy



v72 Dark grey



v60 Ottanio green



v70 Concrete




v30 Oxide red

EVA S20+10

ø 270 cm / 106.29"
H 200 cm / 78.74"


STANDARD LIGHTING
30×E26×60 W MAX (NOT INCL.)



EVA S10

ø 110 cm / 43.30"
H 75 cm / 29.52"


STANDARD LIGHTING
10×E12×40 W MAX (NOT INCL.)



EVA S8

ø 90 cm / 35.43"
H 75 cm / 29.52"


STANDARD LIGHTING
8×E12×40 W MAX (NOT INCL.)



EVA TL1 P

ø 14 cm / 5.51"
H 28 cm / 11.02"


STANDARD LIGHTING
1×E12×40 W MAX (NOT INCL.)



EVA TL1 M

ø 30 cm / 11.81"
H 53 cm / 20.86"


STANDARD LIGHTING
1×E26×60 W MAX (NOT INCL.)



EVA TL3+1 G

ø 40 cm / 15.74"
H 75 cm / 29.52"


STANDARD LIGHTING
3×E26×60 W MAX (NOT INCL.)
1×E12×40 W MAX (NOT INCL.)



EVA STL3+1

ø 50 cm / 19.68"
H 180 cm / 70.86"


STANDARD LIGHTING
3×E26×60 W MAX (NOT INCL.)
1×E12×40 W MAX (NOT INCL.)



EVA S5

ø 70 cm / 27.56"
H 60 cm / 23.62"


STANDARD LIGHTING
5×E12×40 W MAX (NOT INCL.)



EVA S3+1

ø 50 cm / 19.68"
H 75 cm / 29.52"


STANDARD LIGHTING
3×E26×60 W MAX (NOT INCL.)
1×E12×40 W MAX (NOT INCL.)



EVA A3

L 40 cm / 15.74"
SP 20 cm / 7.87"
H 70 cm / 27.56"


STANDARD LIGHTING
3×E26×60 W MAX (NOT INCL.)



EVA A1 M

L 30 cm / 11.81"
SP 15 cm / 5.90"
H 54 cm / 21.25"


STANDARD LIGHTING
1×E26×60 W MAX (NOT INCL.)



EVA A2

L 40 cm / 15.74"
SP 18 cm / 7.08"
H 55 cm / 21.65"

STANDARD LIGHTING
2×E12×40 W MAX (NOT INCL.)



* : ONLY FOR THE US MARKET.

Sound

What form would sound take if it were a product? The design of Sound speaks to our senses, illuminating our minds and souls through the idea of a harmonious melody of design. Sound is a formal semantic experiment. It is a synaesthesia. Sound is a combination of circular elements evoking the expansion of sound waves.

DESIGN BY
GIOVANNI BATTISTA
GIANOLA

SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP

SOUND OR6





SOUND TL1



SOUND STL5



SOUND S1



SOUND OR3






SOUND PL3

SOUND OR6





SOUND S6



SOUND A1



Sound

Metal frame, decorated glass diffuser.



G12 Brushed gold



G18 Brushed brass
v90 Matt black

SOUND S1	
ø	30 cm / 11.81"
H	60 cm / 23.62"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DIMM	TRIAC

SOUND S6	
ø	110 cm / 43.30"
H	102 cm / 40.16"
WITH ROD B**	
STANDARD LIGHTING	
6xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
DOWN	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
DIMM	0-10V

SOUND BIL5	
L	191 cm / 75.19"
SP	64 cm / 25.19"
H	58 cm / 22.83"
WITH ROD B**	
STANDARD LIGHTING	
5xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	22 W CRI>90 3000 K – 3250 NOMINAL LM
DOWN	22 W CRI>90 3000 K – 3250 NOMINAL LM
DIMM	0-10V

SOUND TL1	
L	30 cm / 11.81"
SP	11 cm / 4.33"
H	30 cm / 11.81"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	8.8 W CRI>90 3000 K – 1300 NOMINAL LM
DOWN	8.8 W CRI>90 3000 K – 1300 NOMINAL LM
DIMM	OWN BUTTON

SOUND STL5	
L	46 cm / 18.11"
SP	10 cm / 3.93"
H	225 cm / 88.58"
WITH ROD B**	
STANDARD LIGHTING	
5xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	44 W CRI>90 3000 K – 6500 NOMINAL LM
DOWN	44 W CRI>90 3000 K – 6500 NOMINAL LM
DIMM	OWN BUTTON

SOUND BIL3	
L	134 cm / 52.75"
SP	64 cm / 25.19"
H	58 cm / 22.83"
WITH ROD B**	
STANDARD LIGHTING	
3xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DIMM	0-10V

SOUND OR6	
L	120 cm / 47.24"
SP	80 cm / 31.49"
H	11 cm / 4.33"
WITH ROD B**	
STANDARD LIGHTING	
6xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
DOWN	26.5 W CRI>90 3000 K – 3900 NOMINAL LM
DIMM	0-10V

SOUND OR3	
L	60 cm / 23.62"
SP	56 cm / 22.04"
H	11 cm / 4.33"
WITH ROD B**	
STANDARD LIGHTING	
3xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DIMM	0-10V

SOUND PL3	
L	60 cm / 23.62"
SP	56 cm / 22.04"
H	14 cm / 5.51"
WITH ROD B**	
STANDARD LIGHTING	
3xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DIMM	0-10V

SOUND PL1	
ø	30 cm / 11.81"
H	13 cm / 5.11"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
DOWN	5.5 W CRI>90 3000 K – 873 NOMINAL LM
DIMM	TRIAC

SOUND A1	
L	30 cm / 11.81"
SP	45 cm / 17.72"
H	30 cm / 11.81"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DIMM	TRIAC

SOUND PL3	
L	60 cm / 23.62"
SP	56 cm / 22.04"
H	14 cm / 5.51"
WITH ROD B**	
STANDARD LIGHTING	
3xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
DOWN	13.5 W CRI>90 3000 K – 1950 NOMINAL LM
DIMM	0-10V

SOUND PL1	
ø	30 cm / 11.81"
H	13 cm / 5.11"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
DOWN	5.5 W CRI>90 3000 K – 873 NOMINAL LM
DIMM	TRIAC

SOUND A1	
L	30 cm / 11.81"
SP	45 cm / 17.72"
H	30 cm / 11.81"
WITH ROD B**	
STANDARD LIGHTING	
1xG9x40 W MAX (NOT INCL.)	
INTEGRATED LED LIGHTING	
UP	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DOWN	4.4 W CRI>90 3000 K – 650 NOMINAL LM
DIMM	TRIAC

Accessories

** IT IS POSSIBLE TO CHOOSE A SPECIFIC HEIGHT FOR FIXED ROD OF ITEMS SOUND S1, SOUND S6, SOUND BIL5, SOUND BIL3. WHEN NOT SPECIFIED IN THE ORDER CONFIRMATION, THE STANDARD HEIGHT FOR THE ROD IS "B".

SOUND ROD S1**	
H	A: 11 cm / 4.33" B: 31 cm / 12.20" C: 51 cm / 20.08"

SOUND ROD S6**	
H	A: 30 cm / 11.81" B: 50 cm / 19.68" C: 70 cm / 27.55"

SOUND ROD BIL5** - BIL3**	
H	A: 30 cm / 11.81" B: 50 cm / 19.68" C: 70 cm / 27.55"

FLOOR LAMP BASE	
H	1 cm / 0.39"
ø	40 cm / 15.74"

Papilio

PAPILIO S3 P

This collection is inspired by the swallowtail (Papilio Machaon Linnaeus), a rare species of butterfly that spreads its wings in flight, creating a dance in the air and showing off its beauty. It was born in 2019... and since then, has never stopped fluttering its wings.

DESIGN BY
ARMANDO BRUNO E
ALBERTO TORRES

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP







PAPILIO A1 G




PAPILIO S3 G






PAPILIO A1 P



PAPILIO S3+3





PAPILIO STL 1
PAPILIO TL 1




PAPILIO TL 1

Papilio

Painted metal frame, white Murano triplex glass diffuser.



v91 Embossed black



v98 Embossed White



v64 Forest green



v33 Burgundy



v34 Antique pink




Triplex Murano glass

PAPILIO S6

ø 135 cm / 53.14"
H 86 cm / 33.85"


STANDARD LIGHTING
6×E12×40 W MAX (NOT INCL.)



PAPILIO S5

ø 107 cm / 42.12"
H 86 cm / 33.85"


STANDARD LIGHTING
5×E12×40 W MAX (NOT INCL.)



PAPILIO S3 G

ø 88 cm / 34.64"
H 86 cm / 33.85"


STANDARD LIGHTING
3×E12×40 W MAX (NOT INCL.)



PAPILIO TL1

ø 35 cm / 13.77"
H 58 cm / 22.83"


STANDARD LIGHTING
1×E12×7 W MAX (NOT INCL.)



PAPILIO STL1

ø 35 cm / 13.77"
H 177 cm / 69.68"


STANDARD LIGHTING
1×E12×7 W MAX (NOT INCL.)



PAPILIO S3 P

ø 68 cm / 26.77"
H 76 cm / 29.92"


STANDARD LIGHTING
3×E12×40 W MAX (NOT INCL.)



PAPILIO S3+3

ø 67 cm / 26.37"
H 126 cm / 49.60"


STANDARD LIGHTING
6×E12×40 W MAX (NOT INCL.)



PAPILIO A1 P

L 20 cm / 7.87"
SP 27 cm / 10.62"
H 48 cm / 18.89"


STANDARD LIGHTING
1×E12×40 W MAX (NOT INCL.)



PAPILIO A1 G

L 35 cm / 13.77"
SP 39 cm / 15.35"
H 68 cm / 26.77"

STANDARD LIGHTING
1×E12×40 W MAX (NOT INCL.)



*  : ONLY FOR THE US MARKET.

Timeo

This collection of lamps stands out for the interplay of geometries and regularity of the shapes. It takes its name from Plato's dialogue, the Timaeus, the basic text of cosmogony outlining the concept of Platonic solids.

DESIGN BY
OMRI REVESZ

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP


TIMEO C3 LN 75





TIMEO TL





TIMEO A




TIMEO A

Timeo


Painted metal frame.
LED Lighting.



G14 Burnished brass



v98 Embossed white



v91 Embossed black

TIMEO S1 20		CE	RoHS
ø	21 cm / 8.26"		
H	17 cm / 6.69"		
INTEGRATED LED LIGHTING			
LED	4 W CRI>90 3000 K - 460 NOMINAL LM		
DIMM	TRIAC		




TIMEO A		CE	RoHS
L	21 cm / 8.26"		
SP	19 cm / 7.48"		
H	20 cm / 7.87"		
INTEGRATED LED LIGHTING			
LED	4 W CRI>90 3000 K - 460 NOMINAL LM		
DIMM	TRIAC		




TIMEO STL		CE
ø	35 cm / 11.81"	
H	160 cm / 62.99"	
INTEGRATED LED LIGHTING		
LED	9 W CRI>90 3000 K - 1458 NOMINAL LM	
DIMM	OWN BUTTON	




TIMEO TL		CE
ø	35 cm / 13.77"	
H	30 cm / 11.81"	
INTEGRATED LED LIGHTING		
LED	9 W CRI>90 3000 K - 1458 NOMINAL LM	
DIMM	OWN BUTTON	




TIMEO C3 LN 75		CE	RoHS
L	75 cm / 29.52"		
SP	20 cm / 7.87"		
H MAX	140 cm / 55.11"		
INTEGRATED LED LIGHTING			
LED	12 W CRI>90 3000 K - 1350 NOMINAL LM		
DIMM	0-10V		




TIMEO C5 LN 125		CE	RoHS
L	125 cm / 49.21"		
SP	20 cm / 7.87"		
H MAX	140 cm / 55.11"		
INTEGRATED LED LIGHTING			
LED	20 W CRI>90 3000 K - 2300 NOMINAL LM		
DIMM	0-10V		




TIMEO C7 LN 175		CE	RoHS
L	175 cm / 68.89"		
SP	20 cm / 7.87"		
H MAX	140 cm / 55.11"		
INTEGRATED LED LIGHTING			
LED	28 W CRI>90 3000 K - 3150 NOMINAL LM		
DIMM	0-10V		




TIMEO C3 RD 40		CE	RoHS
ø	40 cm / 15.74"		
H MAX	140 cm / 55.11"		
INTEGRATED LED LIGHTING			
LED	12 W CRI>90 3000 K - 1350 NOMINAL LM		
DIMM	0-10V		



TIMEO C5 RD 60		CE	RoHS
ø	60 cm / 23.62"		
H MAX	140 cm / 55.11"		
INTEGRATED LED LIGHTING			
LED	20 W CRI>90 3000 K - 2300 NOMINAL LM		
DIMM	0-10V		



TIMEO C7 RD 80		CE	RoHS
ø	80 cm / 31.49"		
H MAX	140 cm / 55.11"		
INTEGRATED LED LIGHTING			
LED	28 W CRI>90 3000 K - 3150 NOMINAL LM		
DIMM	0-10V		



Libe


LIBE COMBO 140

A perfect design, where simple, linear geometric shapes take concrete form in an object. As if by magic, a pencil stroke becomes reality, thanks to skilful hands and precious materials such as wood, brass and crystal lozenges.

DESIGN BY
GIAMPAOLO RAMPOLLA
E ANDREA LIGUORI

SUSPENSION
APPLIQUE
TABLE LAMP









LIBE S160



LIBE ELLIPSE S120

Libe

Metal or wood frame with diffuser in opaque crystal lozenges. LED lighting.



w01 Rovere




w03 Wengé




g14 Burnished brass


LIBE S160		CE	UL
L	160 cm / 62.99"		
SP	16 cm / 6.29"		
H	30 cm / 11.81"		
INTEGRATED LED LIGHTING			
	104 W CRI>90		
	3000 K – 9770 NOMINAL LM		
DIMM	1-10V		




LIBE S100		CE	UL
L	100 cm / 39.37"		
SP	16 cm / 6.29"		
H	20 cm / 7.87"		
INTEGRATED LED LIGHTING			
	63 W CRI>90		
	3000 K – 5922 NOMINAL LM		
DIMM	0-10V		




LIBE ROUND S140		CE	UL
ø	140 cm / 55.11"		
H	8.5 cm / 3.34"		
INTEGRATED LED LIGHTING			
	144 W CRI>90		
	3000 K – 13536 NOMINAL LM		
DIMM	1-10V		




LIBE A55		CE	UL
L	59 cm / 23.22"		
SP	12 cm / 4.72"		
H	14 cm / 5.51"		
INTEGRATED LED LIGHTING			
	7 W CRI>90		
	3000 K – 658 NOMINAL LM		
DIMM	NO		




LIBE ROUND TL40		CE
L	40 cm / 15.74"	
SP	30 cm / 11.81"	
H	43 cm / 16.93"	
INTEGRATED LED LIGHTING		
	36.5 W CRI>90	
	3000 K – 3431 NOMINAL LM	
DIMM	OWN BUTTON	



LIBE ROUND S115		CE	UL
ø	115 cm / 45.27"		
H	8.5 cm / 3.34"		
INTEGRATED LED LIGHTING			
	116 W CRI>90		
	3000 K – 10904 NOMINAL LM		
DIMM	1-10V		




LIBE ROUND S90		CE	UL
ø	90 cm / 35.43"		
H	8.5 cm / 3.34"		
INTEGRATED LED LIGHTING			
	90 W CRI>90		
	3000 K – 8460 NOMINAL LM		
DIMM	0-10V		




LIBE ROUND S60		CE	UL
ø	60 cm / 23.62"		
H	8.5 cm / 3.34"		
INTEGRATED LED LIGHTING			
	59 W CRI>90		
	3000 K – 5546 NOMINAL LM		
DIMM	0-10V		



LIBE ELLIPSE S120		CE	UL
L	120 cm / 47.24"		
SP	40 cm / 15.74"		
H	8.5 cm / 3.34"		
INTEGRATED LED LIGHTING			
	86.5 W CRI>90		
	3000 K – 8131 NOMINAL LM		
DIMM	0-10V		



LIBE ELLIPSE S90		CE	UL
L	90 cm / 35.43"		
SP	30 cm / 11.81"		
H	8.5 cm / 3.34"		
INTEGRATED LED LIGHTING			
	62.5 W CRI>90		
	3000 K – 5875 NOMINAL LM		
DIMM	0-10V		



Palm

The Palm applique is a modular wall system reminiscent of the graceful movement of leaves. Inspired by nature, Palm's modularity makes it perfect as a wall decoration. Made up of interlocking shapes, the project is conceived to be composed like a jigsaw puzzle.



PALM A21
COMPOSITION


DESIGN BY
LETIZIA MAMMINI
E VALERIA CANDIDO


APPLIQUE

MASIERO DIMORE











PALM F01

PALM F02

PALM F03

PALM L02

PALM L03

PALM W04

PALM W05

PALM W06

PALM W07

PALM G14

PALM A40 COMPOSITION



Palm

Painted metal frame, different finishes cover. LED lighting.



F01 Gold leaf




F02 Silver leaf



F03 Copper leaf



G14 Burnished brass



L02 Eco leather 2



w04 Pale oak



w05 Walnut



w06 Grey ayous




w07 Black&Silver




L03 Eco leather 3

PALM A40		CE
L	40 cm / 15.75"	
SP	5 cm / 1.97"	
H	34 cm / 13.39"	
INTEGRATED LED LIGHTING		
LED	11 W CRI>95 3000 K - 1390 NOMINAL LM	
DIMM	NO	



PALM A21		CE
L	21 cm / 8.26"	
SP	4 cm / 1.57"	
H	18 cm / 7.08"	
INTEGRATED LED LIGHTING		
LED	5 W CRI>95 3000 K - 772 NOMINAL LM	
DIMM	NO	




Technical info



Finishings

MATT PAINTED




v95 Matt white




v30 Oxide red



v51 Pale blue



v21 Sand



v35 Jaipur red




v50 Navy Blue




v70 Concrete




v83 Bronze



v60 Ottanio green



v84 Chocolate




v99 Painted matt gold



v72 Dark grey




v86 Coated bronze




v90 Matt black

Availability of each finish to be confirmed for specific items.

EMBOSSED PAINTED



v98 Embossed white



v91 Embossed Black



v34 Antique pink




v33 Burgundy



v64 Forest green

GLOSSY PAINTED



v87 Foundant Chocolate

Availability of each finish to be confirmed for specific items.

Finishings

GALVANIC BATH



G12 Brushed gold



G14 Burnished brass




G18 Brushed brass



G01 Burnished




G22 Pure gold



G24 Rose gold




G25 Golden copper



G23 Dark nickel

LEAF DECORATION



F01 Gold leaf



F02 Silver leaf



F03 Copper leaf



F04 Champagne leaf

WOOD FINISHING



w01 Rovere




w04 Pale oak




w05 Walnut



w06 Grey ayous



w07 Black&silver



w03 Wengé

ECO LEATHER



L02 Eco leather 2



L03 Eco leather 3

Availability of each finish to be confirmed for specific items.

Availability of each finish to be confirmed for specific items.

General informations



It certifies the conformity of the products to the European Community provisions.



"ETL" logos refers to articles which can be modified with ETL-compliance components. The "ETL" listing articles stands for tested and evaluated product to recognised US safety standards.



Nominal luminous flux. It refers to the value without any refraction, as declared by the component manufacturer.



Masiero reserves the right to introduce any changes to its own products, without notice in advance.

ART DIRECTION, DESIGN
Designwork

LAYOUT
Masiero

PHOTO, REPRO
Loris Casonato

SHOOTING ART DIRECTION, STYLING
NOOII

PRINT
Italy, March 2023
by Grafiche Antiga

Masiero srl
via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250
info@masierogroup.com
masierogroup.com

Masiero USA LTD
100 Park Avenue, Suite 1600
New York, NY 10017
T +1 212 4666754
sales@masiero-usa.com
masiero-usa.com

THANKS TO

Alessandra Salaris
Doimo Salotti
Miniform
Saba
Trabà



