

Struttura in metallo verniciato.
Illuminazione a LED.


Painted metal frame.
LED Lighting.

Gestell aus lackiertem Metall.
LED-Beleuchtung.

Structure en métal peint.
LED éclairage.

СТРУКТУРА ИЗ ОКРАШЕННОГО МЕТАЛЛА.
СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

Finishings



V95 Bianco opaco
Matt white



V90 Nero opaco
Matt black



V99 Oro opaco verniciato
Painted matt gold



V55 Carta da zucchero
Mid Blue



V24 Zucca
Pumpkin

Family

Ceiling




Suspension




Applique



Table lamp




Standard cables for all suspensions



VOLLEE S1G

Suspension




TECHNICAL INFORMATION

L 52 cm / 20.47"
SP 36 cm / 14.17"
H 88 cm / 34.65"

LED x 7,5 W CRI>90
 3000 K - 915 Nominal lm
Dimmable: 0 - 10 V

VOLLEE S1P DOWN

Suspension




TECHNICAL INFORMATION

L 25 cm / 9.84"
SP 17,5 cm / 6.89"
H 44 cm / 17.32"

LED x 6,6 W CRI>90
 3000 K - 825 Nominal lm
Dimmable: 0 - 10 V

VOLLEE S1P UP

Suspension




TECHNICAL INFORMATION

L 25 cm / 9.84"
SP 17,5 cm / 6.89"
H 44 cm / 17.32"

LED x 6,6 W CRI>90
 3000 K - 825 Nominal lm
Dimmable: 0 - 10 V

VOLLEE C4 G

Suspension




TECHNICAL INFORMATION

LED x 25,6 W CRI>90
 3000 K - 3200 Nominal lm
Dimmable: 0-10V

VOLLEE C2+2

Suspension




TECHNICAL INFORMATION

LED x 25,6 W CRI>90
 3000 K - 3200 Nominal lm
Dimmable: 0 - 10 V

VOLLEE C5 P


Suspension




TECHNICAL INFORMATION

LED x31 W CRI>90
 3000 K - 3900 Nominal lm
Dimmable: 0 - 10 V


VOLLEE C4 G




VOLLEE C 2+2




VOLLEE C5 P




VOLLEE C5 P X4



VOLLEE C2G LN 75**Suspension****TECHNICAL INFORMATION**


L 75 cm / 29.52"
SP 20 cm / 7.87"
H max 240 cm / 94.48"

LED x 15 W CRI>90
 3000 K - 1830 Nominal lm
Dimmable: 0 - 10 V

VOLLEE C4P LN 125**Suspension****TECHNICAL INFORMATION**


L 125 cm / 49.21"
SP 20 cm / 7.87"
H max 200 cm / 78.74"

LED x 25,6 W CRI>90
 3000 K - 3200 Nominal lm
Dimmable: 0 - 10 V

VOLLEE C4G RD 60**TECHNICAL INFORMATION**


Ø 60 cm / 23.62"
H 240 cm / 94.48"

LED x 25,6W CRI>90
 3000 K - 3200 Nominal lm
Dimmable: 0 - 10 V

VOLLEE C4P RD 60**TECHNICAL INFORMATION**

Ø 60 cm / 23.62"
H 200 cm / 78.74"

LED x 25,6W CRI>90
 3000 K - 3200 Nominal lm
Dimmable: 0 - 10 V


VOLLEE C8P RD 80**TECHNICAL INFORMATION**

Ø 80 cm / 31.49"
H 200 cm / 78.74"

LED x 52,8W CRI>90
 3000 K - 6600 Nominal lm
Dimmable: 0 - 10 V

VOLLEE PL1 P

Ceiling




L 25 cm / 9.84"
SP 17.5 cm / 6.89"
H 22.5cm / 8.86"

LED x 5 W CRI>80 - 110V
 3000 K - 410 Nominal lm
Dimmable: TRIAC

VOLLEE PL1 G

Ceiling




TECHNICAL INFORMATION

L 52 cm / 20.47"
SP 36 cm / 14.17"
H 48 cm / 18.90"

LED x 5 W CRI>80 - 110V
 3000 K - 410 Nominal lm
Dimmable: TRIAC

VOLLEE A1 P

Applique




TECHNICAL INFORMATION

L 17.5 cm / 6.89"
SP 22.5 cm / 8.86"
H 25 cm / 9.84"

LED x 5 W CRI>80 - 110V
 3000 K - 410 Nominal lm
Dimmable: TRIAC

VOLLEE TL

Table Lamp



TECHNICAL INFORMATION

L 25 cm / 9.84"
SP 17.5 cm / 6.89"
H 23 cm / 9.05"

LED x 5 W CRI>80 - 110V
 3000 K - 410 Nominal lm
Dimmable: OWN BUTTON