


Nappe

SUSPENSION
APPLIQUE




Painted metal frame with metal or Pirex rods. Pirex diffusers. Led Lighting.

FINISHINGS

STANDARD

TOTAL WHITE



V95 Matt white

MIXED COLOURS



V95 + V21 + V51 + V72

TOTAL BLACK



V90 Matt Black

MIXED WARM




V35 + V70 + V84

MATERIALS

STANDARD

METAL BEAMS



V93 Painted gold

DIFFUSER



Smoky Pirex

METAL DETAILS

NAPPE



G12 Brushed gold



G12 Brushed gold



G12 Brushed gold

NAPPE XL



F01 Gold leaf




F01 Gold leaf

STANDARD CABLES




WHEN SINGLE SUSPENSION (N-XL):
1 single cable*
(120 cm / 47.24")
with canopy



WHEN COMPOSITION (C3-C5-C10):
2 cables*
(160 cm / 62.99" each)
with connection spheres


*CABLES COLOR:
For V95 version the cable
color is white. For V90
and mixed colors the cable
color is black


NAPPE N0 

ø	7.5 cm / 2.95"
H	34 cm / 13.38"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N1 

ø	15 cm / 5.90"
H	36 cm / 14.17"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N2 

ø	15 cm / 5.90"
H	40 cm / 15.74"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N3 

ø	7.5 cm / 2.95"
H	36 cm / 14.17"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N4 

ø	7.5 cm / 2.95"
H	38 cm / 14.96"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N5 

ø	15 cm / 5.90"
H	40 cm / 15.74"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N6 

ø	15 cm / 5.90"
H	32 cm / 12.59"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N7 

ø	7.5 cm / 2.95"
H	34 cm / 13.38"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC





NAPPE N8 

ø	15 cm / 5.90"
H	39 cm / 15.35"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC




NAPPE N9 

ø	7.5 cm / 2.95"
H	39 cm / 15.35"

INTEGRATED LED LIGHTING

5.4 W CRI>90
3000 K - 688 NOMINAL LM
DIMM TRIAC



NAPPE C3



NAPPE C5



NAPPE C10



INTEGRATED LED LIGHTING

3 × 16.2 W CRI>90
3000 K - 2064 NOMINAL LM


INTEGRATED LED LIGHTING

5 × 27 W CRI>90
3000 K - 3440 NOMINAL LM


INTEGRATED LED LIGHTING

10 × 54 W CRI>90
3000 K - 6880 NOMINAL LM


DIMM 0-10V



DIMM 0-10V




DIMM 0-10V




SUGGESTED CONFIGURATION FOR C3




LINEAR



OPEN TRIANGLE



CLOSE TRIANGLE




*ON REQUEST CANOPY WITH 2 HOLES FOR CABLES


SUGGESTED CONFIGURATION FOR C5




LINEAR



OPEN PENTAGON



CLOSE PENTAGON




*ON REQUEST CANOPY WITH 2 HOLES FOR CABLES


SUGGESTED CONFIGURATION FOR C10




LINEAR



DOUBLE LINEAR



CIRCULAR




NAPPE C3 LN 75 

L 75 cm / 29.52"
 SP 20 cm / 7.87"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

DIMM 0-10V




NAPPE C3 LN 125 

L 125 cm / 49.21"
 SP 20 cm / 7.87"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

DIMM 0-10V





NAPPE C5 LN 175 

L 175 cm / 68.89"
 SP 20 cm / 7.87"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM

DIMM 0-10V





NAPPE C3 RD 40 

ø 40 cm / 15.74"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

DIMM 0-10V





NAPPE C3 RD 60 

ø 60 cm / 23.62"
 H MAX 155 cm / 61.02"

INTEGRATED LED LIGHTING
 3 x 16.2 W CRI>90
 3000 K - 2064 NOMINAL LM

DIMM 0-10V





NAPPE C5 RD 80 

ø 80 cm / 31.49"
 H MAX 155 cm / 61.02"


INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM

DIMM 0-10V




NAPPE XL1 

∅	30 cm / 11.81"
H	125 cm / 49.21"

NAPPE XL2 

∅	35 cm / 13.77"
H	135 cm / 53.14"

NAPPE XL3 

∅	30 cm / 11.81"
H	110 cm / 43.30"

INTEGRATED LED LIGHTING



UP	7 W CRI>90 3000 K - 1200 NOMINAL LM
DOWN	8.5 W CRI>90 3000 K - 1320 NOMINAL LM
DIMM	0-10V

INTEGRATED LED LIGHTING

UP	7 W CRI>90 3000 K - 1200 NOMINAL LM
DOWN	8.5 W CRI>90 3000 K - 1320 NOMINAL LM
DIMM	0-10V

INTEGRATED LED LIGHTING

	12.2 W CRI>90 3000 K - 2000 NOMINAL LM
DIMM	0-10V



NAPPE APP N4




L 7.5 cm / 2.95"
 SP 14 cm / 5.51"
 H 40 cm / 15.74"

INTEGRATED LED LIGHTING

5.4 W CRI>90
 3000 K - 688 NOMINAL LM

DIMM TRIAC



NAPPE APP N2



L 15 cm / 5.90"
 SP 18 cm / 7.08"
 H 42 cm / 16.53"

INTEGRATED LED LIGHTING

5.4 W CRI>90
 3000 K - 688 NOMINAL LM

DIMM TRIAC

