


**Olà**

SUSPENSION  
CEILING  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP



Painted metal frame with pendants.

**FINISHINGS**

**STANDARD**



G01 Burnished frame  
amber pendants



F03 Copper leaf frame  
copper pendants



V83 Matt bronze frame  
warm pendants



F01 Gold leaf frame  
amber pendants



V30 Oxide red frame  
cold pendants



V90 Matt black frame  
smoky pendants



F02 Silver leaf frame  
transp. pendants




V50 Blue navy frame  
amber pendants



V95 Matt white frame  
cold pendants

**PENDANTS**

**STANDARD**



TRANSPARENT



COLD



AMBER



COPPER




WARM



SMOKY


**STANDARD CABLES**


**FOR ALL SUSPENSIONS**




**OLÀ S12 120**

ø 120 cm / 47.24"  
H 20 cm / 7.87"


STANDARD LIGHTING   
12×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
UP 15.6 W CRI>95  
3000 K – 1856 NOMINAL LM  
DOWN 62.4 W CRI>95  
3000 K – 7425 NOMINAL LM  
DIMM 0-10V




**OLÀ S6 90**

ø 90 cm / 35.43"  
H 20 cm / 7.87"


STANDARD LIGHTING   
8×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
UP 10.4 W CRI>95  
3000 K – 1236 NOMINAL LM  
DOWN 31.2 W CRI>95  
3000 K – 3708 NOMINAL LM  
DIMM 0-10V



**OLÀ S6 60**

ø 60 cm / 23.62"  
H 20 cm / 7.87"


STANDARD LIGHTING   
6×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
UP 7.8 W CRI>95  
3000 K – 928 NOMINAL LM  
DOWN 23.4 W CRI>95  
3000 K – 2784 NOMINAL LM  
DIMM 0-10V




**OLÀ S6 40**

ø 40 cm / 15.74"  
H 20 cm / 7.87"


STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
UP 13.7 W CRI>95  
3000 K – 1625 NOMINAL LM  
DOWN 13.7 W CRI>95  
3000 K – 1625 NOMINAL LM  
DIMM 0-10V




**OLÀ S2 15**

ø 15 cm / 5.90"  
H 26 cm / 10.23"

STANDARD LIGHTING   
1×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
DOWN 7.5 W CRI>90  
3000 K – 1080 NOMINAL LM


DIMM TRIAC




**OLÀ S8 OV 210**

L 210 cm / 82.67"  
 SP 20 cm / 7.87"  
 H 20 cm / 7.87"


STANDARD LIGHTING   
 8×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 15.6 W CRI>95  
 3000 K – 1856 NOMINAL LM  
 DOWN 70.2 W CRI>95  
 3000 K – 8560 NOMINAL LM  
 DIMM 0-10V




**OLÀ S6 OV 160**

L 160 cm / 63.00"  
 SP 14 cm / 5.50"  
 H 20 cm / 7.87"


STANDARD LIGHTING   
 6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 10.4 W CRI>95  
 3000 K – 1236 NOMINAL LM  
 DOWN 50.7 W CRI>95  
 3000 K – 6033 NOMINAL LM  
 DIMM 0-10V




**OLÀ S4 OV 100**

L 100 cm / 39.37"  
 SP 13 cm / 5.12"  
 H 20 cm / 7.87"


STANDARD LIGHTING   
 4×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 5.2 W CRI>95  
 3000 K – 618 NOMINAL LM  
 DOWN 25.35 W CRI>95  
 3000 K – 3016 NOMINAL LM  
 DIMM 0-10V




**OLÀ S2 OV 50**

L 50 cm / 19.69"  
 SP 8 cm / 3.14"  
 H 18 cm / 7.09"

STANDARD LIGHTING   
 2×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 5.2 W CRI>95  
 3000 K – 618 NOMINAL LM  
 DOWN 7.8 W CRI>95  
 3000 K – 930 NOMINAL LM  
 DIMM NO




**OLÀ S1 OV 30**

L 30 cm / 11.81"  
 SP 7 cm / 2.75"  
 H 18 cm / 7.09"


STANDARD LIGHTING   
 1×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 4 W CRI>95  
 3000 K – 464 NOMINAL LM  
 DOWN 4 W CRI>95  
 3000 K – 464 NOMINAL LM  
 DIMM NO




**OLÀ PL12 120**

∅ 120 cm / 47.24"  
H 26 cm / 10.23"

STANDARD LIGHTING   
12×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
DOWN 62.4 W CRI>95  
3000 K – 7425 NOMINAL LM


DIMM 0-10V




**OLÀ PL6 90**

∅ 90 cm / 35.50"  
H 26 cm / 10.23"

STANDARD LIGHTING   
8×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
DOWN 31.2 W CRI>95  
3000 K – 3708 NOMINAL LM


DIMM 0-10V



**OLÀ PL6 60**

∅ 60 cm / 23.62"  
H 26 cm / 10.23"

STANDARD LIGHTING   
6×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
DOWN 23.4 W CRI>95  
3000 K – 2784 NOMINAL LM


DIMM 0-10V



**OLÀ PL6 40**

∅ 40 cm / 15.74"  
H 26 cm / 10.23"

STANDARD LIGHTING   
6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
DOWN 13.7 W CRI>95  
3000 K – 1625 NOMINAL LM


DIMM 0-10V





**OLÀ PL8 OV 210**

L 210 cm / 82.67"  
 SP 20 cm / 7.87"  
 H 26 cm / 10.23"

STANDARD LIGHTING   
 8×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 70.2 W CRI>95  
 3000 K – 8560 NOMINAL LM


DIMM 0-10V




**OLÀ PL6 OV 160**

L 160 cm / 62.99"  
 SP 13 cm / 5.12"  
 H 26 cm / 10.23"

STANDARD LIGHTING   
 6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 50.7 W CRI>95  
 3000 K – 6033 NOMINAL LM


DIMM 0-10V





**OLÀ PL4 OV 100**

L 100 cm / 39.37"  
 SP 13 cm / 5.12"  
 H 26 cm / 10.23"

STANDARD LIGHTING   
 4×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 25.35 W CRI>95  
 3000 K – 3016 NOMINAL LM


DIMM 0-10V




**OLÀ A6 OV 160**

L 160 cm / 62.99"  
 SP 20 cm / 7.87"  
 H 20 cm / 7.87"


STANDARD LIGHTING   
 6×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 10.4 W CRI>95  
 3000 K – 1236 NOMINAL LM  
 DOWN 50.7 W CRI>95  
 3000 K – 6033 NOMINAL LM  
 DIMM 0-10V




**OLÀ A2 OV 70**

L 70 cm / 27.56"  
 SP 15 cm / 5.90"  
 H 20 cm / 7.87"


STANDARD LIGHTING   
 2×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 11.7 W CRI>95  
 3000 K – 1390 NOMINAL LM  
 DOWN 19.5 W CRI>95  
 3000 K – 2300 NOMINAL LM  
 DIMM 0-10V




**OLÀ A2 OV 50**

L 50 cm / 19.68"  
 SP 12 cm / 4.72"  
 H 18 cm / 7.08"


STANDARD LIGHTING   
 2×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 5.2 W CRI>95  
 3000 K – 618 NOMINAL LM  
 DOWN 7.8 W CRI>95  
 3000 K – 930 NOMINAL LM  
 DIMM NO




**OLÀ A1 OV 30**

L 30 cm / 11.81"  
 SP 10 cm / 3.94"  
 H 18 cm / 7.08"


STANDARD LIGHTING   
 1×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 4 W CRI>95  
 3000 K – 464 NOMINAL LM  
 DOWN 4 W CRI>95  
 3000 K – 464 NOMINAL LM  
 DIMM NO




**OLÀ TL2**

L 50 cm / 19.68"  
 SP 16 cm / 6.30"  
 H 50 cm / 19.68"

STANDARD LIGHTING   
 2×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 5.2 W CRI>95  
 3000 K – 618 NOMINAL LM  
 DOWN 7.8 W CRI>95  
 3000 K – 930 NOMINAL LM  
 DIMM OWN BUTTON




**OLÀ STL2**

L 50 cm / 19.68"  
 SP 24 cm / 9.45"  
 H 180 cm / 70.86"


STANDARD LIGHTING   
 2×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 UP 5.2 W CRI>95  
 3000 K – 618 NOMINAL LM  
 DOWN 7.8 W CRI>95  
 3000 K – 930 NOMINAL LM  
 DIMM OWN BUTTON




**OLÀ C3 LN 75**

L 75 cm / 29.52"  
 SP 20 cm / 7.87"  
 H MAX 180 cm / 70.86"

STANDARD LIGHTING   
 3×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 22.5 W CRI>90  
 3000 K – 3240 NOMINAL LM


DIMM 0-10V




**OLÀ C5 LN 125**

L 125 cm / 49.21"  
 SP 20 cm / 7.87"  
 H MAX 130 cm / 51.18"

STANDARD LIGHTING   
 5×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 37.5 W CRI>90  
 3000 K – 5400 NOMINAL LM


DIMM 0-10V




**OLÀ C7 LN 175**

L 175 cm / 68.89"  
 SP 20 cm / 7.87"  
 H MAX 180 cm / 70.86"

STANDARD LIGHTING   
 7×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING   
 DOWN 52.5 W CRI>90  
 3000 K – 7560 NOMINAL LM


DIMM 0-10V




**OLÀ C3 RD 40**

ø 40 cm / 15.74"  
 H MAX 180 cm / 70.86"

STANDARD LIGHTING   
 3×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 22.5 W CRI>90  
 3000 K – 3240 NOMINAL LM


DIMM 0-10V




**OLÀ C5 RD 60**

ø 60 cm / 23.62"  
 H MAX 180 cm / 70.86"

STANDARD LIGHTING   
 5×E12×40 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING   
 DOWN 37.5 W CRI>90  
 3000 K – 5400 NOMINAL LM


DIMM 0-10V



**OLÀ C7 RD 80**

ø 80 cm / 31.49"  
 H MAX 180 cm / 70.86"

STANDARD LIGHTING   
 7×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING   
 DOWN 52.5 W CRI>90  
 3000 K – 7560 NOMINAL LM

DIMM 0-10V

